


Male - Female Bobbins



Bobbin Mounts are a low cost solution to reducing vibration & shock. They can be used in either Compression or Shear or a combination, and are available with various thread configurations. Additional Sizes are available, Plus Stainless Steel metals and Oil Resistant / High Temperature rubbers available on request.

Applications include - General Purpose mountings, popular in a wide range of applications & industries including Diesel Engines, Generator Sets, Instruments, Industrial Machinery & Equipment. Weight range from 1kg to 2000Kg per mounting.

PART	D x H	V x I	d	45 IRHD	60 IRHD	70 IRHD	mm
1008MF10	10 x 08	M4 x 10	M4	2.4	4.4	6.2	0.6
1010MF06	10 x 10	M4 x 06	M4	2.1	4.0	5.5	0.8
1513MF10	15 x 13	M4 x 10	M4	4.0	7.8	10.8	1.1
1515MF10	15 x 15	M4 x 10	M4	6.0	11.0	15.4	1.3
2015MF18	20 x 15	M6 x 18	M6	9.3	17.5	24.0	1.2
2020MF18	20 x 20	M6 x 18	M6	7.2	13.4	18.5	1.6
2030MF18	20 x 30	M6 x 18	M6	5.5	9.9	13.9	2.6
2515MF18	25 x 15	M6 x 18	M6	18.5	35.0	49.0	1.2
2520MF13	25 x 20	M8 x 13	M8	16.5	30.0	40.0	1.6
2525MF18	25x 25	M6 x 18	M6	12.8	24.0	33.0	2.1
2530MF20	25 x 30	M8 x 20	M8	11.8	23.0	30.0	2.7
3015MF20	30 x 15	M8 x 20	M8	23.0	42.0	59.0	1.1
3020MF13	30 x 20	M8 x 13	M8	21.0	39.0	53.0	1.6
3020MF20	30 x 20	M8 x 20	M8	21.0	39.0	53.0	1.6
3025MF15	30 x 25	M8,M6x15	M8,M6	17.5	30.0	41.0	2.1
3025MF20	30 x 25	M8 x 20	M8	17.5	30.0	41.0	2.1
3030MF15	30 x 30	M8 x 15	M8	15.5	29.0	39.0	2.6
3030MF20	30 x 30	M8 x 20	M8	15.5	29.0	39.0	2.6
3040MF20	30 x 40	M8 x 20	M8	14.5	28.0	37.0	3.6
4020MF23	40 x 20	M8 x 23	M8	42.0	79.0	109.0	1.6
4020MF25	40 x 20	M10 x 25	M10	42.0	79.0	109.0	1.6
4025MF20	40 x 25	M8 x 20	M8	39.0	73.0	100.0	2.1
4030MF23	40 x 30	M8 x 23	M8	34.0	64.0	89.0	2.6
4030MF16	40 x 30	M8 x 16	M8	34.0	64.0	89.0	2.6
4030MF25	40 x 30	M10 x 25	M10	34.0	64.0	89.0	2.6
4035MF23	40 x 35	M8 x 23	M8	31.0	57.0	80.0	3.1
4035MF25	40 x 35	M10 x 25	M10	31.0	57.0	80.0	3.1
4040MF23	40 x 40	M8 x 23	M8	30.0	55.0	76.0	3.6
4040MF25	40 x 40	M10 x 25	M10	30.0	55.0	76.0	3.6
5020MF28	50 x 20	M10 x 28	M10	87.0	164.0	226.0	1.5
5025MF25	50 x 25	M10 x 25	M10	81.0	151.0	209.0	2.0
5030MF25	50 x 30	M10 x 25	M10	70.0	129.0	178.0	2.5

PART	D x H	V x I	d	45 IRHD	60 IRHD	70 IRHD	mm
5035MF25	50 x 35	M10 x 25	M10	61.0	113.0	156.0	3.0
5040MF25	50 x 40	M10 x 25	M10	50.0	94.0	130.0	3.5
5045MF28	50 x 45	M10 x 28	M10	45.0	84.0	117.0	4.0
5050MF25	50 x 50	M10 x 25	M10	41.0	78.0	107.0	4.5
6025MF25	60 x 25	M10 x 25	M10	126.0	234.0	323.0	2.0
6030MF25	60 x 30	M10 x 25	M10	111.0	206.0	284.0	2.5
6036MF25	60 x 36	M10 x 25	M10	109.0	203.0	280.0	3.1
6036MF37	60 x 36	M12 x 37	M12	109.0	203.0	280.0	3.1
6040MF25	60 x 40	M10 x 25	M10	101.0	188.0	256.0	3.5
6040MF37	60 x 40	M12 x 37	M12	101.0	188.0	256.0	3.5
6045MF25	60 x 45	M10 x 25	M10	92.0	171.0	237.0	4.0
6535MF25	65 x 35	M10 x 25	M10	133.0	247.0	342.0	3.0
6540MF37	65 x 40	M12 x 37	M12	118.0	216.0	298.0	3.5
6545MF37	65 x 45	M12 x 37	M12	103.0	190.0	264.0	4.0
6550MF37	65 x 50	M12 x 37	M12	88.0	163.0	226.0	4.5
7030MF37	70 x 30	M12 x 37	M12	175.0	326.0	445.0	2.4
7040MF25	70 x 40	M10 x 25	M10	143.0	266.0	367.0	3.4
7045MF25	70 x 45	M10 x 25	M10	129.0	239.0	321.0	3.9
7045MF37	70 x 45	M12 x 37	M12	129.0	239.0	321.0	3.9
7050MF37	70 x 50	M12 x 37	M12	117.0	217.0	300.0	4.4
7060MF37	70 x 60	M12 x 37	M12	116.0	214.0	296.0	5.4
7525MF37	75 x 25	M12 x 37	M12	221	420	577	1.9
7540MF37	75 x 40	M12 x 37	M12	154.0	288.0	397.0	3.4
7550MF37	75 x 50	M12 x 37	M12	147.0	276.0	381.0	4.4
7555MF37	75 x 55	M12 x 37	M12	128.0	242.0	333.0	4.9
10050MF44	100 x 50	M16 x 44	M16	300.0	540.0	750.0	4.2
10055MF44	100 x 55	M16 x 44	M16	275.0	515.0	710.0	4.7
10060MF44	100 x 60	M16 x 44	M16	265.0	480.0	670.0	5.2
10075MF44	100 x 75	M16 x 44	M16	220.0	390.0	540.0	6.7
100100MF44	100 x 100	M16 x 44	M16	170.0	300.0	420.0	9.2
15055MF41	150 x 55	M16 x 41	M16	505.0	920.0	1296.0	4.7
15075MF44	150 x 75	M16 x 44	M16	400.0	720.0	1000.0	6.7

DATA SHEET MF 2011. Max compression load in Kg deflection in mm.

This information is for guidance only. Customers are recommended to contact us for further technical information on products and applications. We reserve the right to alter specifications or withdraw products without notice.